



Safety Data Sheet Issue 02/02

Trade Name: **KEIM SILEX OH**

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Trade name: **KEIM SILEX OH**

Keim Silex OH is a silicic acid ester for consolidation of natural stone, renders and other mineral substrates without water repellancy.

Manufacturer/importer/distributor:

Keim Mineral Paints Ltd
Muckley Cross
Morville
Nr. Bridgnorth
Shropshire
WV16 4RR

Tel: 01746 714543
Fax: 01746 714526

2. COMPOSITION/INFORMATION ON INGREDIENTS:

Alkoxysilane and siloxane an organic solvent.

Substance	Content %'d	EG-number	Symbol	Risk Phrases
di-n-butyl tin dilaurate	<3	77-58-7	Xn	20/21/22-52/53
Tetraethylsilicate	<25	014-005-00-0	Xn	10-20-36/37
Butanol (methylethylketone)	<20%	606-002-00-3	F,Xi	11-36/37
Acetone	Ca. 5	606-001-00-8	F	11

3. HAZARDS IDENTIFICATION

F Highly flammable
Xn detrimental to health

Other identifications:

R11: Highly flammable
R20: Harmful by inhalation
R36/37: Irritating to eyes and respiratory system

4. FIRST AID MEASURES

General information:

Skin contact: Wash skin thoroughly with soap and water.



